

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with situational insights as well as trends over time.



health.mn.gov/coronavirus

- More MN COVID-19 data and statistics:
[Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)
(<https://www.health.state.mn.us/diseases/coronavirus/situation.html>) -
updated daily at 11 a.m.




Contents

About Minnesota COVID-19 Data	2	Potential Exposure in Child Care Settings	29
COVID-19 Overview Summary	3	Student Cases Associated with PK-12 School Buildings	30
Laboratory Tests for COVID-19	4	Minnesota IHE Facilities Reporting Cases	31
Number of Tests and Percent Positive by Week	5	Resident Cases Associated with Congregate Care Settings	32
Laboratory Test Rates by County of Residence	6	SARS-CoV-2 Variants Circulating in Minnesota	33
Percent of Tests Positive by County of Residence	7	SARS-CoV-2 Variants by Region	34
Weekly Percent of Tests Positive by County of Residence	8	Vaccine Breakthrough (VBT) Cases	35
Testing Demographics: Age	9	VBT Hospitalizations and Deaths	36
Testing Demographics: Gender	10	VBT Cases, Hospitalizations, and Deaths by Age Group	37
Positive COVID-19 Cases	11	Response Metrics: Testing and Interview Timing	38
New Cases by Week, 7-Day Average	12	Syndromic Surveillance	39
Cases by County of Residence	13		
Cumulative Case Rate by County of Residence	14		
Weekly Case Rate by County of Residence	15		
Hospitalizations, ICU Hospitalizations	16		
Hospitalizations by Week, 7-Day Average	17		
ICU Hospitalizations by Week, 7-Day Average	18		
COVID-19 Deaths	19		
Deaths by Week, 7-Day Average	20		
Deaths by County of Residence	21		
Demographics: Age	22	Archived:	
Cases by Age Group and Specimen Collection Date	23	VBT Cases among Health Care Workers	40
Case Rate in Children by Specimen Collection Date	24	Demographics: Interview Language	41
Hospitalization Rate in Children by Specimen Collection	25	Interview Language by County of Residence	42
Demographics: Gender	26	Likely Exposure	43
Demographics: Race & Ethnicity	27	Likely Exposure and Specimen Collection Date	44
Age-Adjusted Race & Ethnicity Rates	28	Residence Type	45
		Cases among Health Care Workers	46
		High Risk Exposures in Health Care Workers	47
		Staff with Potential Exposure in Child Care Settings	48
		Staff Cases Associated with PK-12 Schools	49
		PreK-12 School Buildings Reporting Cases	50
		Cases that have an Affiliation with IHE	51
		Staff Cases Associated with Congregate Care Settings	52
		Congregate Care Facility Outbreaks	53

About Minnesota COVID-19 Data

- Data is for cases that were tested and returned positive.
 - At-home test results are not counted by MDH.
 - Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of cases in Minnesota.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as “unknown/missing”.
 - As of 10/28/21, case interviews are prioritized. Priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview.
- Minnesota uses the CSTE standardized surveillance case definition.
 - A person is counted as having a reinfection if they test positive (confirmed or probable) for COVID-19 more than 90 days after a previous lab-confirmed case. Cases include reinfections unless otherwise noted.
 - Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases. All probable cases get the same public health follow up and recommendations as cases confirmed by PCR tests. Total cases includes confirmed and probable cases unless otherwise noted.
 - A person with a positive PCR test result following a positive antigen test result would move from being a probable case to a confirmed case.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since 1/20/20 for confirmed (PCR) tests and cases, and since 9/1/20 for probable (antigen) tests and cases, unless specified otherwise.

COVID-19 Overview Summary



Laboratory Tests for COVID-19


Testing numbers show how many total tests have been done for cases who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Tests are reported by the date the test was run in the laboratory.

18,533,149
Total Laboratory Tests
(cumulative)

■ Current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week

Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests.




Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Laboratory Test Rates by County of Residence

32,596

rate of tests per 10,000 people statewide (cumulative)

Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included.




County	Number of Tests	Cumulative Rate	County	Number of Tests	Cumulative Rate
Aitkin	37,328	23,575	Martin	64,370	32,243
Anoka	988,914	28,464	McLeod	109,398	30,537
Becker	99,784	29,545	Meeker	68,008	29,467
Beltrami	119,051	25,815	Mille Lacs	81,721	31,763
Benton	146,827	36,911	Morrison	103,638	31,454
Big Stone	21,510	42,883	Mower	126,163	31,858
Blue Earth	215,784	32,536	Murray	24,724	29,599
Brown	89,247	35,400	Nicollet	104,543	30,945
Carlton	142,718	40,157	Nobles	49,813	22,809
Carver	276,812	27,567	Norman	23,514	35,850
Cass	60,481	20,840	Olmsted	493,417	32,236
Chippewa	44,728	37,242	Otter Tail	185,116	31,921
Chisago	170,717	31,194	Pennington	27,692	19,523
Clay	165,105	26,290	Pine	70,498	24,202
Clearwater	18,879	21,424	Pipestone	29,798	32,442
Cook	14,354	27,027	Polk	85,252	26,986
Cottonwood	33,232	29,223	Pope	35,219	32,076
Crow Wing	160,970	25,209	Ramsey	1,751,576	32,347
Dakota	1,259,149	30,109	Red Lake	7,302	18,219
Dodge	67,034	32,569	Redwood	50,729	33,089
Douglas	122,274	32,867	Renville	52,395	35,592
Faribault	51,557	37,102	Rice	311,019	47,292
Fillmore	71,118	34,047	Rock	35,338	37,542
Freeborn	113,290	37,113	Roseau	41,462	26,815
Goodhue	154,481	33,425	Scott	401,493	28,004
Grant	17,065	28,739	Sherburne	321,690	34,505
Hennepin	4,089,077	33,097	Sibley	38,869	26,066
Houston	35,179	18,850	St. Louis	672,271	33,600
Hubbard	36,548	17,519	Stearns	511,132	32,594
Isanti	98,326	25,229	Steele	112,136	30,575
Itasca	135,326	29,937	Stevens	32,972	33,700
Jackson	21,809	21,707	Swift	31,229	33,184
Kanabec	34,063	21,284	Todd	56,187	22,990
Kandiyohi	150,128	35,193	Traverse	11,184	33,515
Kittson	14,338	33,060	Wabasha	74,751	34,768
Koochiching	43,938	34,750	Wadena	58,953	43,202
Lac qui Parle	25,805	38,100	Waseca	59,708	31,744
Lake	36,739	34,761	Washington	829,233	32,735
Lake of the Woods	11,671	30,641	Watonwan	32,206	29,350
Le Sueur	68,597	24,514	Wilkin	14,839	23,394
Lincoln	17,135	30,025	Winona	179,512	35,304
Lyon	72,073	27,893	Wright	345,022	25,991
Mahnomen	11,835	21,495	Yellow Medicine	31,473	31,894
Marshall	17,307	18,427	Unknown/missing	687,366	

Percent of Tests Positive by County of Residence

8.0%

% positive statewide (cumulative)

Cumulative percent of tests positive by county of residence. Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.



County	% Positive (cumulative)	County	% Positive (cumulative)
Aitkin	7.6%	Martin	8.3%
Anoka	10.0%	McLeod	9.6%
Becker	6.7%	Meeker	8.5%
Beltrami	9.5%	Mille Lacs	9.3%
Benton	9.1%	Morrison	8.5%
Big Stone	5.9%	Mower	9.0%
Blue Earth	8.1%	Murray	8.0%
Brown	7.3%	Nicollet	7.6%
Carlton	5.8%	Nobles	13.1%
Carver	9.1%	Norman	5.3%
Cass	9.6%	Olmsted	7.8%
Chippewa	6.6%	Otter Tail	6.7%
Chisago	8.5%	Pennington	10.7%
Clay	8.6%	Pine	8.9%
Clearwater	10.3%	Pipestone	6.3%
Cook	3.9%	Polk	7.3%
Cottonwood	9.2%	Pope	8.0%
Crow Wing	7.2%	Ramsey	7.5%
Dakota	8.9%	Red Lake	10.9%
Dodge	8.1%	Redwood	7.5%
Douglas	8.6%	Renville	6.9%
Faribault	7.2%	Rice	5.5%
Fillmore	6.4%	Rock	5.8%
Freeborn	8.1%	Roseau	10.7%
Goodhue	8.1%	Scott	9.3%
Grant	8.0%	Sherburne	9.4%
Hennepin	7.6%	Sibley	8.5%
Houston	7.4%	St. Louis	6.5%
Hubbard	9.8%	Stearns	9.7%
Isanti	9.8%	Steele	9.1%
Itasca	7.5%	Stevens	7.7%
Jackson	9.4%	Swift	7.4%
Kanabec	10.0%	Todd	10.4%
Kandiyohi	8.7%	Traverse	6.8%
Kittson	7.0%	Wabasha	7.0%
Koochiching	6.0%	Wadena	7.7%
Lac qui Parle	6.2%	Waseca	9.2%
Lake	5.7%	Washington	8.4%
Lake of the Woods	6.3%	Watonwan	8.4%
Le Sueur	8.5%	Wilkin	8.6%
Lincoln	6.6%	Winona	6.7%
Lyon	9.8%	Wright	10.0%
Mahnomen	8.1%	Yellow Medicine	7.2%
Marshall	11.2%	Unknown/missing	5.1%


Weekly Percent of Tests Positive by County of Residence

Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence.

Week 1: 1/2/22-1/8/22	Week 2: 1/9/22-1/15/22	Week 3: 1/16/22-1/22/22	Week 4: 1/23/22-1/29/22	Week 5: 1/30/22-2/5/22
--------------------------	---------------------------	----------------------------	----------------------------	---------------------------


Testing Demographics: Age

Cumulative number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Testing Demographics: Gender

Cumulative number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Gender	Male	Female	Other	Unk./missing	Total
Positive	688,592	735,612	17	21,444	1,445,665
Negative	6,415,248	9,619,392	38	520,290	16,554,968

Positive COVID-19 Cases

Total positive cases are represented by the date of positive specimen collection.

1,402,439


Total Positive Cases,
including Reinfections
(cumulative)

■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average


Cases by week of specimen collection date, and 7-day moving average of new cases.

New Cases by Week of Specimen Collection




Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Seven Day Moving Average of New Cases



Cases by County of Residence

Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered.




- Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: [Minnesota COVID-19 Weekly Report](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html) (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

1,402,439 Total Positive Cases (cumulative)			1,373,839 No Longer Needing Isolation (cumulative)		
County	Cases (cumulative)	Cases no longer needing isolation	County	Cases (cumulative)	Cases no longer needing isolation
Aitkin	2,864	2,774	Martin	5,436	5,277
Anoka	96,671	95,131	McLeod	10,265	10,056
Becker	8,471	8,274	Meeker	5,733	5,608
Beltrami	11,117	10,867	Mille Lacs	7,048	6,879
Benton	13,654	13,281	Morrison	8,881	8,642
Big Stone	1,347	1,317	Mower	11,604	11,400
Blue Earth	17,210	16,950	Murray	1,986	1,958
Brown	6,431	6,286	Nicollet	7,742	7,594
Carlton	8,598	8,355	Nobles	6,845	6,750
Carver	25,909	25,592	Norman	1,455	1,424
Cass	6,676	6,488	Olmsted	39,103	38,218
Chippewa	2,982	2,880	Otter Tail	13,132	12,812
Chisago	14,245	13,884	Pennington	3,413	3,329
Clay	19,044	18,719	Pine	6,860	6,725
Clearwater	2,087	2,032	Pipestone	1,960	1,916
Cook	532	517	Polk	8,302	8,135
Cottonwood	3,144	3,061	Pope	2,878	2,826
Crow Wing	15,560	15,174	Ramsey	120,786	118,478
Dakota	107,090	105,490	Red Lake	917	893
Dodge	5,509	5,413	Redwood	3,808	3,715
Douglas	10,640	10,353	Renville	3,546	3,441
Faribault	3,678	3,597	Rice	17,280	16,941
Fillmore	4,536	4,446	Rock	2,298	2,258
Freeborn	8,782	8,570	Roseau	4,328	4,261
Goodhue	12,627	12,300	Scott	39,284	38,726
Grant	1,426	1,399	Sherburne	26,848	26,405
Hennepin	290,806	286,140	Sibley	3,386	3,330
Houston	4,135	4,086	St. Louis	44,986	43,810
Hubbard	4,798	4,660	Stearns	49,637	48,753
Isanti	9,934	9,698	Steele	10,097	9,877
Itasca	10,724	10,466	Stevens	2,559	2,520
Jackson	2,114	2,078	Swift	2,249	2,177
Kanabec	3,432	3,336	Todd	6,557	6,387
Kandiyohi	13,049	12,782	Traverse	813	780
Kittson	1,015	981	Wabasha	5,346	5,273
Koochiching	2,613	2,538	Wadena	4,057	3,943
Lac qui Parle	1,699	1,635	Waseca	5,371	5,281
Lake	1,980	1,933	Washington	65,153	64,123
Lake of the Woods	738	723	Watonwan	2,874	2,805
Le Sueur	6,285	6,178	Wilkin	1,580	1,538
Lincoln	1,194	1,179	Winona	12,115	11,905
Lyon	6,959	6,839	Wright	35,817	35,226
Mahnomen	1,616	1,586	Yellow Medicine	2,458	2,408
Marshall	1,991	1,940	Unknown/missing	9,734	7,108

Cumulative Case Rate by County of Residence

2,537
cases per 10,000 people

Cumulative number of cases by county of residence per 10,000 people.



County	Cumulative Rate	County	Cumulative Rate
Aitkin	1,809	Martin	2,723
Anoka	2,782	McLeod	2,865
Becker	2,508	Meeker	2,484
Beltrami	2,411	Mille Lacs	2,739
Benton	3,432	Morrison	2,695
Big Stone	2,685	Mower	2,930
Blue Earth	2,595	Murray	2,378
Brown	2,551	Nicollet	2,292
Carlton	2,419	Nobles	3,134
Carver	2,580	Norman	2,218
Cass	2,300	Olmsted	2,555
Chippewa	2,483	Otter Tail	2,264
Chisago	2,603	Pennington	2,406
Clay	3,032	Pine	2,355
Clearwater	2,368	Pipestone	2,134
Cook	1,002	Polk	2,628
Cottonwood	2,765	Pope	2,621
Crow Wing	2,437	Ramsey	2,231
Dakota	2,561	Red Lake	2,288
Dodge	2,677	Redwood	2,484
Douglas	2,860	Renville	2,409
Faribault	2,647	Rice	2,628
Fillmore	2,172	Rock	2,441
Freeborn	2,877	Roseau	2,799
Goodhue	2,732	Scott	2,740
Grant	2,401	Sherburne	2,880
Hennepin	2,354	Sibley	2,271
Houston	2,216	St. Louis	2,248
Hubbard	2,300	Stearns	3,165
Isanti	2,549	Steele	2,753
Itasca	2,372	Stevens	2,615
Jackson	2,104	Swift	2,390
Kanabec	2,144	Todd	2,683
Kandiyohi	3,059	Traverse	2,436
Kittson	2,340	Wabasha	2,487
Koochiching	2,067	Wadena	2,973
Lac qui Parle	2,508	Waseca	2,856
Lake	1,873	Washington	2,572
Lake of the Woods	1,938	Watonwan	2,619
Le Sueur	2,246	Wilkin	2,491
Lincoln	2,092	Winona	2,383
Lyon	2,693	Wright	2,698
Mahnomen	2,935	Yellow Medicine	2,491
Marshall	2,120		

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection.

Week 1: 1/2/22-1/8/22	Week 2: 1/9/22-1/15/22	Week 3: 1/16/22-1/22/22	Week 4: 1/23/22-1/29/22	Week 5: 1/30/22-2/5/22
--------------------------	---------------------------	----------------------------	----------------------------	---------------------------

■ Downloadable CSV file of current data for these maps is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Hospitalizations, ICU Hospitalizations

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Hospitalizations by Week, 7-Day Average


Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations.

New Hospitalization by Week First Hospital Admission



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


Seven Day Moving Average of New Hospitalizations



ICU Hospitalizations by Week, 7-Day Average

Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations.

New ICU Hospitalizations by Week of First ICU Hospital Admission



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Seven Day Moving Average of New ICU Hospitalizations



COVID-19 Deaths

11,930
Total Deaths
(cumulative)


Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).

■ Tables of current data and more information about deaths: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Deaths by Week, 7-Day Average


Cases by week of death, and 7-day moving average of deaths.

Deaths by Week of Death




Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Seven Day Moving Average of Deaths



Deaths by County of Residence

Cumulative number of deaths by county of residence.



■ Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)


11,930
Total Deaths (cumulative)

County	Deaths (cumulative)	County	Deaths (cumulative)
Aitkin	60	Martin	59
Anoka	763	McLeod	101
Becker	87	Meeker	74
Beltrami	118	Mille Lacs	108
Benton	165	Morrison	99
Big Stone	8	Mower	67
Blue Earth	90	Murray	15
Brown	73	Nicollet	66
Carlton	88	Nobles	58
Carver	107	Norman	13
Cass	75	Olmsted	165
Chippewa	47	Otter Tail	160
Chisago	115	Pennington	39
Clay	118	Pine	61
Clearwater	29	Pipestone	34
Cook	4	Polk	97
Cottonwood	40	Pope	17
Crow Wing	160	Ramsey	1,291
Dakota	738	Red Lake	12
Dodge	19	Redwood	52
Douglas	113	Renville	54
Faribault	49	Rice	167
Fillmore	22	Rock	33
Freeborn	69	Roseau	43
Goodhue	120	Scott	246
Grant	12	Sherburne	174
Hennepin	2,470	Sibley	23
Houston	18	St. Louis	509
Hubbard	56	Stearns	353
Isanti	113	Steele	54
Itasca	137	Stevens	13
Jackson	17	Swift	33
Kanabec	54	Todd	54
Kandiyohi	132	Traverse	10
Kittson	26	Wabasha	16
Koochiching	34	Wadena	50
Lac qui Parle	28	Waseca	38
Lake	27	Washington	463
Lake of the Woods	5	Watonwan	22
Le Sueur	49	Wilkin	22
Lincoln	6	Winona	69
Lyon	70	Wright	297
Mahnomen	17	Yellow Medicine	28
Marshall	23	Unknown/missing	0

Demographics: Age


Cumulative number of cases, hospitalizations, and deaths by age group, median age, and age range.

	Median Age (Range) in Years
All Cases	35 (<1 month - 113)
Non-Hospitalized Cases	34 (<1 month - 113)
Hospitalizations	62 (<1 month - 105)
ICU Hospitalizations	62 (<1 month - 105)
Deaths	80 (<1 - 109)



Cases by Age Group and Specimen Collection Date

Cases by age group by date of specimen collection in Minnesota.




Downloadable CSV file of current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Case Rate in Children by Specimen Collection Date

Cases by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.


Due to the need to confirm reports and reporting delays, data may be incomplete



Hospitalization Rate in Children by Specimen Collection Date


Hospitalizations by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.

Due to the need to confirm reports and reporting delays, data may be incomplete



Demographics: Gender

Cumulative number of cases, hospitalizations, and deaths by gender. Gender is collected during case interview and is self-reported.




Gender	Male	Female	Other	Unk./missing	Total
All Cases	663,641	716,169	241	22,388	1,402,439
Hospitalizations	30,658	28,782	2	301	59,743
ICU Hospitalizations	6,790	4,238	1	46	11,075
Deaths	6,518	5,378	0	34	11,930

Demographics: Race & Ethnicity

Cumulative number of cases, hospitalizations, and deaths by race and ethnicity. Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.


Race/Ethnicity	Minnesota Population (2018)	% of Population
White, non-Hispanic	4,438,071	80%
Black, non-Hispanic	336,505	6%
Asian, non-Hispanic	260,797	5%
American Indian/Alaska Native, non-Hispanic	53,168	1%
Native Hawaiian/Pacific Islander, non-Hispanic	1,799	<1%
Multiple Races, non-Hispanic	137,233	2%
Other, non-Hispanic	7,021	<1%
Hispanic	292,764	5%

Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Potential Exposure in Child Care Settings

Cases of COVID-19 among children who attended child care with potential exposure in child care settings by specimen collection date. Data also include hospitalizations, ICU hospitalizations, and deaths of attendees and staff associated with a childcare program. All adult cases are not routinely interviewed. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date.

11,141

Total Child Care Attendees (cumulative)

54

Total Hospitalized Child Care-affiliated Attendee Cases (cumulative)

13

Total ICU Hospitalized Child Care-affiliated Attendee Cases (cumulative)

0

Total Child Care-affiliated Attendee Deaths (cumulative)

122


Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

8

Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

2

Total Child Care-affiliated Staff Deaths (cumulative)



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Student Cases Associated with Pre-K through Grade 12 School Buildings

Cases of COVID-19 associated with students attending school and hospitalizations, ICU hospitalizations, and deaths of staff working at a prekindergarten through grade 12 building while they were able to spread COVID-19. All adult cases are not routinely interviewed. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

66,864
Total PreK-12 Student Cases (cumulative)

273
Total Hospitalized PreK-12-affiliated Student Cases (cumulative)


32
Total ICU Hospitalized PreK-12-affiliated Student Cases (cumulative)

3
Total PreK-12-affiliated Student Deaths (cumulative)

354
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

63
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

20
Total PreK-12-affiliated Staff Deaths (cumulative)



- A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)
- Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


Minnesota IHE Facilities Reporting Cases

Number of facilities that have had cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Number of IHE Facilities reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

154

Total IHE Facilities that have Reported at Least One Case
(cumulative)

Due to the need to confirm reports and reporting delays, data may be incomplete



The IHE facility data will be changing in the coming weeks. This information is no longer collected for all cases.

Cases per IHE facility	Number of IHEs reporting cases 1/30-2/12/22
1-10 cases	43
11-30 cases	3
31-99 cases	3
≥100 cases	0
Total	49


Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Resident Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component.

34,320
Total Congregate Care Residents
(cumulative)

5,499
Deaths among cases that resided in long-term
care or assisted living facilities (cumulative)




- A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)
- Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

SARS-CoV-2 Variants Circulating in Minnesota


Lineage distribution of SARS-CoV-2 variants in Minnesota. The line indicates number of specimens sequenced, while the bars show proportions of each variant identified.

SARS-CoV-2 Variants of Concern (VOC) are named using the World Health Organization (WHO) naming conventions, Variants of Interest (VOI) are included as a group. More information about naming variants can be found at [WHO: Tracking SARS-CoV-2 variants \(https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/\)](https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/)



SARS-CoV-2 Variants by Region

This map shows the distribution of variants across regions in the past 30 days for the cases that have been sequenced.




Region & Variant	Variant %	Region & Variant	Variant %
Northwest		Northeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	3.26%	Delta	2.65%
Gamma	0.00%	Gamma	0.00%
Omicron	96.74%	Omicron	97.06%
Other	0.00%	Other	0.29%
VOIs	0.00%	VOIs	0.00%
West Central		Central	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	6.80%	Delta	7.27%
Gamma	0.00%	Gamma	0.00%
Omicron	93.20%	Omicron	92.60%
Other	0.00%	Other	0.13%
VOIs	0.00%	VOIs	0.00%
Southwest		Southeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	4.03%	Delta	1.52%
Gamma	0.00%	Gamma	0.00%
Omicron	95.97%	Omicron	97.73%
Other	0.00%	Other	0.76%
VOIs	0.00%	VOIs	0.00%
Metro			
Alpha	0.00%		
Beta	0.00%		
Delta	2.09%		
Gamma	0.00%		
Omicron	97.80%		
Other	0.09%		
VOIs	0.03%		

■ A map of counties included in regions can be found at [Map of Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html).

Vaccine Breakthrough (VBT) Cases



Vaccine breakthrough cases are defined as Minnesota residents with a positive COVID-19 test result (PCR or antigen) with a symptom onset date (or collection date if asymptomatic) 14 or more days after they have completed all recommended doses of a COVID-19 vaccine. VBT data has a lag period of one month for reporting purposes and excludes the rates prior to May since vaccine was not readily available to all Minnesotans prior to that date.

The rate per 100,000 people is calculated as the number of fully vaccinated people who test positive for SARS-CoV-2 divided by the total number of fully vaccinated people, multiplied by 100,000.



VBT Hospitalizations and Deaths

These graphs show the rate of hospitalization and death among vaccinated and unvaccinated COVID-19 cases since vaccine was widely available to the general adolescent and adult population in May 2021. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.




More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update \(www.health.state.mn.us/diseases/coronavirus/stats/vbt.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)

VBT Cases, Hospitalizations, and Deaths by Age Group


These graphs show vaccine breakthrough cases stratified by age to better illustrate the impact of COVID-19 across different age groups. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.

Cases: Rate by age group per 100,000
Week starting: **5/2/2021** to **1/9/2022**




■ More information about vaccine breakthrough, and data updated every Monday are available on:
[COVID-19 Vaccine Breakthrough Weekly Update \(www.health.state.mn.us/diseases/coronavirus/stats/vbt.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)


Hospitalizations: Rate by age group per 100,000
Week starting: **5/2/2021** to **1/9/2022**




Deaths: Rate by age group per 100,000
Week starting: **5/2/2021** to **1/9/2022**



Response Metrics: Testing and Interview Timing



Seven day moving average of median days from specimen collection to testing




Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through February 12, 2022. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through February 12, 2022, these data represent all patients from about 135 hospitals in Minnesota, covering approximately 90% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.



- Map of Counties and Infectious Disease Surveillance Regions can be found on: [Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html)
- Further information and frequently asked questions syndromic surveillance can be found at: [Hospital Alerting for Syndromic Surveillance: COVID-19/SAR-CoV-2 \(https://www.health.state.mn.us/diseases/coronavirus/hcp/syndromic.html\)](https://www.health.state.mn.us/diseases/coronavirus/hcp/syndromic.html)


VBT Cases among Health Care Workers (Archived)

These data are for all vaccine breakthrough cases who reported their occupation as health care staff in acute care or congregate care facilities. Vaccine breakthrough cases are defined as Minnesota residents with a positive test result (both confirmed and probable) with onset date (or specimen collection date if asymptomatic) 14 or more days post full vaccine series and no positive COVID-19 result in the 90 days prior to their COVID infection.

13,217
VBT Cases among Health Care Workers
(cumulative)

This information is no longer collected for all cases, therefore this data will no longer be updated.


Due to the need to confirm reports and reporting delays, data may be incomplete



Demographics: Interview Language (Archived)

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.

This information is no longer collected for all cases, therefore this data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Interview Language by County of Residence (Archived)


Percent of interviews by language and week of specimen collection by county of residence.

This information is no longer collected for all cases, therefore this data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

Week
Week 38: 9/19-9/25/21
Week 39: 9/26-10/2/21
Week 40: 10/3-10/9/21

Likely Exposure (Archived)


Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.



- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregate living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.


Cases by Likely Exposure and Specimen Collection Date (Archived)

Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.



Residence Type (Archived)

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.



Cases among Health Care Workers (Archived)

This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.

48,946

Total Health Care Workers
(cumulative)

1,247

Total Health Care Staff Hospitalized
(cumulative)


207

Total Health Care Staff Hospitalized in ICU
(cumulative)

47

Total Health Care Staff Deaths
(cumulative)

This information is no longer collected for all cases, therefore this data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



High Risk Exposures in Health Care Workers (Archived)

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

16,816
Total High Risk Health Care Worker Exposures (cumulative)

The data shown here summarizes high-risk exposures that occurred from March 6, 2020 –October 20, 2021.

Health care workers had 16,816 documented high-risk exposures

52% exposures happened at home or in the community


48% of exposures occurred at work

1,667
Total High Risk Health Care Worker Exposures Resulting in a Positive Test (cumulative)

Risk of infection was highest after exposure at home or in the community

13% HCW tested positive after exposure to a positive household member or social contact

6% HCW tested positive after an exposure at work



Staff with Potential Exposure in Child Care Settings (Archived)

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases included staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.

4,083
Total Child Care Staff (cumulative)

90
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)


7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

0
Total Child Care-affiliated Staff Deaths (cumulative)

This information is no longer collected for staff in child care settings.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

1,902 Total Child Care Programs (cumulative)		
Cases per program	Programs	Percent
1 case	645	34%
2-4 cases	630	33%
≥5 cases	627	33%

Due to the need to confirm reports and reporting delays, data may be incomplete



Staff Cases Associated with Pre-K through Grade 12 School Buildings (Archived)

Cases of COVID-19 associated with school staff working in school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

This information is no longer collected for staff in Pre-K through Grade 12 Schools.


Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

10,773
Total PreK-12 School Staff Cases (cumulative)

235
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

47
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)


13
Total PreK-12-affiliated Staff Deaths (cumulative)



PreK-12 School Buildings Reporting Cases (Archived)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

This data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Cases per building	Number of buildings reporting cases 10/3-10/16/21
1 case	405
2-4 cases	324
≥5 cases	99
Total	828

■ A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE) (Archived)

Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

183

Total Hospitalized IHE-affiliated Cases (cumulative)

22


Total ICU Hospitalized IHE-affiliated Case (cumulative)

7

Total IHE-affiliated Deaths (cumulative)

This data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.


20,785 Total IHE-affiliated Cases (cumulative)	
Cases infectious while on campus (cumulative)	6,920
Cases living on campus (cumulative)	3,157



Staff Cases Associated with Congregate Care Settings (Archived)

Cases of COVID-19 associated with staff living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Congregate Care Settings.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Congregate Care Facility Outbreaks (Archived)

Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

4,411
Total Congregate Care Facilities
(cumulative)

Confirmed cases per facility	Number of facilities
1-2 case	1,961
3-20 cases	1,854
≥21 cases	596



Type of facility	Number of outbreak facilities	Number of resident cases	Number of staff cases	Number of deaths in resident cases	Number of facilities with active outbreaks	Percent of outbreak facilities still experiencing an active outbreak
Skilled Nursing Facilities and Transitional Care Units	368	12,715	12,395	3,110	210	57%
Assisted Living and Memory Care Facilities	1,081	8,758	7,185	1,584	209	19%
Group Homes and Adult Foster Care Facilities	2,738	2,863	4,862	116	136	5%
Other Congregate Care Settings	265	1,648	1,527	24	41	15%

A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)